

M. Martcheva, Department of Mathematics, University of Florida, Gainesville, FL, 32611, USA.

## AVIAN INFLUENZA: MODELING AND IMPLICATIONS FOR CONTROL

maia@ufl.edu

**Key words:** Avian influenza, shift evolution, reproduction numbers, invasion reproduction numbers, vaccination, culling

At present H5N1 avian influenza is a zoonotic disease where the transmission to humans occurs from infected domestic birds. Since 2003 more than 500 people have been infected and nearly 60% of them have died. If the H5N1 virus becomes efficiently human-to-human transmittable, a pandemic will occur with potentially high mortality. A mathematical model of avian influenza which involves human influenza is introduced to better understand the complex epidemiology of avian influenza and the emergence of a pandemic strain. The model is parameterized based on demographic and epidemiological data on birds and humans. The differential equation system faithfully projects the cumulative number of H5N1 human cases and captures the dynamics of the yearly cases. The model is used to rank the efficacy of the current control measures used to prevent the emergence of a pandemic strain. We find that culling without repopulation and vaccination are the two most efficient control measures each giving 22% decrease in the number of H5N1 infected humans for each 1% change in the parameters. Control measures applied to humans, however, such as wearing protective gear, are not very efficient, giving less than 1% decrease in the number of H5N1 infected humans for each 1% change in the parameters. Furthermore, we find that should a pandemic strain emerge, it will invade, possibly displacing the human influenza virus in circulation at that time. Moreover, higher prevalence levels of human influenza will obstruct the invasion capabilities of the pandemic H5N1 strain. This effect is not very pronounced, as we find that 1% increase in human influenza prevalence will decrease the invasion capabilities of the pandemic strain with 0.006%.